

General Controls Favourites Settings Help

SETUP

Microphone

Microphone (Realtek High Defini ▾)

audio preview

Speakers & Optional Mic Output

Haut-parleurs (Realtek High De ▾)

NO MIC OUTPUT / PASSTHROL ▾



Speaker Boost: 6 dB

Server

srs.veaf.org:5102

srs.veaf.org ▾



connect

show server settings

toggle radio overlay

toggle awacs overlay

toggle client list

EAM coalition password

EAM name

VEAF Skywalker

connect external awacs mode (eam)

Current Profile: default

Connected Clients: 0 Current Position: Lat/Lng: 0,0 - Alt: 0

Server



VOIP



Game



LotATC



General [Controls](#) [Favourites](#) [Settings](#) [Help](#)

CONTROLS

RESCAN INPUT DEVICES

	Device	Button		
Radio 1	Clavier	46	set	clear
Radio 1 Modifier	None	None	set	clear
Radio 2	Clavier	45	set	clear
Radio 2 Modifier	None	None	set	clear
Radio 3	None	None	set	clear

General Controls Favourites Settings Help

FAVOURITES

Add new configuration

Name ServerAddress

EAM coalition password

NAME	SERVERADDRESS/PORT	EAM COAL. PASS	IS DEFAULT
srs.veaf.org	srs.veaf.org:5102		<input type="button" value="🚩"/>

General Controls Favourites Settings Help

GLOBAL SETTINGS

Auto Connect Prompt	OFF
Auto Connect Mismatch Prompt	ON
Reset Radio Overlay	RESET
Hide Overlay Taskbar Item	ON
Auto Refocus DCS	ON
Allow More Input Devices	ON
Microphone Automatic Gain Control	ON
Microphone Noise Suppression	ON
Minimise to tray	ON
Start minimised	ON
Auto Select Profile For Aircraft	OFF
Check for beta updates	OFF
Play connection sounds	ON
Set SRS Path for DCS	SET PATH
Require Admin	ON
Allow VAICOM TX Inhibit	ON
Show Transmitter Name (Requires Server ON too)	ON

General Controls Favourites Settings Help

default

CREATE PROFILE

COPY PROFILE

RENAME PROFILE

DELETE PROFILE

PROFILE SETTINGS

Radio Rx Effects

Start ON End ON

Radio Tx Effects

Start ON End ONRadio Encryption Effects
Requires Tx or Rx Effects On

ON

MIDS Tx & Rx Effect
Requires Tx or Rx Effects On

ON

Radio Switch works as Push To Talk (PTT)

ON

Enable Radio Voice Effect

ON

Enable Clipping Effect (Requires Radio effects on!)

ON

Enable FM Radio Tone (Requires Radio effects on!)

ON

Auto Select First Channel Preset

ON

ALWAYS allow SRS Hotkeys

OFF


ALWAYS allow Transponder Overlay Controls

OFF


Allow INCOCKPIT DCS Controlled PTT

ON

Radio 1 Audio Channel


 Left Equal Right

Radio 2 Audio Channel


 Left Equal Right